Symphony®

Thinking of Tomorrow

P R E S E N T S

LARGE SPACE
VENTI - COOLING









Fresh, Filtered & Cool Air
At Low Power Consumption

www.symphonyventicool.com

THE SCIENCE BEHIND SMARTER COOLING

Symphony Large Space Venti-Cooling (LSV) harnesses natural principles to deliver powerful, efficient cooling for industrial and commercial environments. Understanding the science behind our technology helps you make informed decisions about climate control in large, open spaces.

Evaporative Cooling – Core Working Logic

Evaporative cooling works on a natural principle where water evaporation absorbs heat from air, reducing temperature without compressors or refrigerants. This energy-efficient process mimics nature's own cooling mechanism, delivering fresh, cooled air continuously while consuming significantly less power than traditional air conditioning systems.



Thermal Comfort = Temperature + Air Movement


Human comfort depends not only on temperature, but also on air velocity. Adequate air movement in the occupied zone allows people to feel cooler even at higher temperatures. LSV systems create optimal airflow patterns that enhance perceived comfort, improving productivity and well-being in large work environments without over-cooling.

Application Fit + Right-Use Guidance

LSV is designed for large, open or ventilated spaces where fresh air and airflow are essential. It is not intended for sealed, precision temperature-controlled rooms. Ideal applications include manufacturing facilities, warehouses, distribution centers, and assembly halls where natural ventilation complements the cooling process for maximum efficiency and effectiveness.

Symphony®
Thinking of Tomorrow

COOLING THE WORLD SINCE 1939



1939
The air cooler was invented by Goettl brothers in USA. International Metal Products Company (now IMPCO, a Symphony Group Company) was founded.

1955
International Metal Products Company de Mexico, S.A. de C.V. was established.

1988
Symphony pioneered branded air coolers in India.

1994
Symphony went public.

2000
Guinness world record for largest air cooler.

2001
Keruilai (now a Symphony Group Company) was founded in China.

2009
Symphony acquired IMPCO.

2010
Introduced Central Air Cooling Solutions + India's largest commercial air cooling project.

2015
Acquisition of Keruilai + Market value of Symphony crossed ₹11,000 crores.

2018
Symphony's acquisition of Climate Technologies-Australia and Bonaire-USA + Market value of Symphony crossed ₹15,000 crores.

2019
Introduced a range of portable commercial air coolers and world's first universal air coolers manufactured in India.

2020
Launched a range of accessories for industrial and commercial air coolers.

2024
Launched VC40 in the industrial air cooler range.

2025
Launched VC 22S in the industrial air cooler range & Air Bender in accessories.


AIR THAT LIFTS.

It requires a cool head to make businesses successful. Because when the mind is fresh, the work is too. So in order to boost productivity, you not only require an efficient work force but also comfortable working conditions as well. Especially in our country that is predominantly dry and hot.

With a range of proficient commercial coolers, Symphony brings to you clean, filtered air that lifts spirits. Because it's important to have an air of ambition around the work place. Add to that a 90%^ reduction in electricity consumption compared to air-conditioning systems and we're bound to make your business cooler.


^Conditions apply.

Global institutions such as NASA, IIM-Ahmedabad, UNDP, WHO and ILO (International Labor Organization) consistently highlight that poor thermal comfort reduces productivity, safety, and workforce efficiency.



Human Comfort Zone

Also Known as the thermal comfort zone, this refers to the range of temperature and humidity conditions that most people will find comfortable. Meaning, that people working in such a zone are likely to be at their most productive state.



Symphony
Thinking of Tomorrow


BEYOND COOLING:
DEMOCRATIZING COMFORT

Symphony Large Space Venti-Cooling is a unique concept of **air-cooling plus ventilation**. A combination not offered by any other cooling technology.

One does not have to close a space to employ this cooling.


- Offers more than physical comfort • Boosts productivity
- Increases footfall • Decreases absenteeism

LARGE SPACE COOLING @ ₹2/FT^2 PER MONTH^




SINGLE UNIT CAN COOL UP TO 2500 SQ.FT^.





90% LESSER ELECTRICITY CONSUMPTION THAN AC SYSTEM^



EASY AND QUICK INSTALLATION IN JUST A COUPLE OF HOURS

^Conditions apply.

ADVANTAGES OF SYMPHONY LARGE SPACE VENTI-COOLING SOLUTIONS

Improved Productivity
Constant influx of fresh air ensures an air cooled space and prevents allergies caused by poor ventilation.

Improved Staff Morale
Better working conditions at the workplace result in better staff morale.

Improved Revenue
As per IIMA Research, worker's productivity can be enhanced up to 12%^ by increasing the level of thermal comfort.

Lower Initial Investment (CAPEX Advantage)
Significantly lower installation cost compared to central air-conditioning systems.

Fast Payback in 4–5 Months^ (OPEX Efficiency)
Lower electricity consumption enables recovery of installation cost within 4–5 months.


Supports Carbon Reduction Goals
Lower energy use helps reduce carbon emissions and supports sustainability and potential carbon credit benefits.

^Conditions apply.

Symphony®
Thinking of Tomorrow

WORKING PRINCIPLE OF LARGE SPACE VENTI-COOLING SOLUTIONS

Filtered and cooled by a large space venti-cooling solution, the fresh outdoor air is continuously sent into the indoor space through the air duct and air supply outlets. With the continuous supply of cooled fresh air, the indoor space is in a positive pressure condition, thus the original hot air containing odor and dust is emitted out of the room, resulting in a cool, ventilated, clean and comfortable environment. Suitable exhaust area and effective exhaust are essential for satisfactory performance of any large space venti-cooling solution.



LARGE SPACE VENTI-COOLING SOLUTIONS FOR INDUSTRIAL AND COMMERCIAL USAGE



Universal options - top & down discharge

Symphony large space venti-cooling solutions are uniquely designed to provide flexibility during installation. The product can be used for top or down discharge depending on the requirement. It takes minutes to interchange from top to down discharge or vice versa.

MADE IN INDIA
MADE FOR THE WORLD

Symphony
Thinking of Tomorrow

VENTI-COOL 11U

Universal air cooler
Cooling @ ₹2/sq.ft. per month^



Features

- Modular units suitable for any area. One unit can cool up to 700 sq.ft.*
- Cool Flow Dispenser for enhanced cooling
- Weather resistant, UV Stabilized engineering plastic body
- 0.45 kW, 2 speed motor for powerful air delivery of 11000 CMH
- Three side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours

3 Side discharge option
Top, Bottom & Side







* Actual measurements may vary within +/- 15% of specified values. ^ Conditions apply.

VENTI-COOL 20U

Universal air cooler
Cooling @ ₹2/sq.ft. per month^




Features

- Modular units suitable for any area. One unit can cool up to 1200 sq.ft.*
- Cool Flow Dispenser for enhanced cooling
- Weather resistant, UV Stabilized engineering plastic body
- 1.1 kW motor for powerful air delivery of 20000 CMH
- Four side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours


2 Side discharge option
Top & Bottom

Performance Curves

Air delivery @ various static pressure



Temperature Drop



* Actual measurements may vary within +/- 15% of specified values. ^ Conditions apply.

Symphony
Thinking of Tomorrow

VENTI-COOL 22S

Universal air cooler
Cooling @ ₹2/sq.ft. per month^




Features

- Modular units suitable for any area. One unit can cool up to 1300 sq.ft.*
- Cool Flow Dispenser for enhanced cooling
- Weather resistant, UV Stabilized engineering plastic body
- 1.1 kW motor for powerful air delivery of 22000 CMH
- Three side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours


2 Side discharge option
Side

Performance Curves

Air delivery @ various static pressure



Temperature Drop



* Actual measurements may vary within +/- 15% of specified values. ^ Conditions apply.

VENTI-COOL 25S

Universal air cooler
Cooling @ ₹2/sq.ft. per month^




Features

- Modular units suitable for any area. One unit can cool up to 1600 sq.ft.*
- Cool Flow Dispenser for enhanced cooling
- Weather resistant, UV Stabilized engineering plastic body
- 1.5 kW motor for powerful air delivery of 25000 CMH
- Four side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours


2 Side discharge option
Top & Bottom

Performance Curves

Air delivery @ various static pressure



Temperature Drop



* Actual measurements may vary within +/- 15% of specified values. ^ Conditions apply.

Symphony
Thinking of Tomorrow

VENTI-COOL 40

Universal air cooler
Cooling @ ₹2/sq.ft. per month^




Features

- Modular units suitable for any area. One unit can cool up to 2500 sq.ft.*
- High quality air pre-filter to protect the cooling pad
- Weather resistant, UV Stabilized engineering plastic body
- 3 kW motor for powerful air delivery of 40,000 CMH
- Four side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours


2 Side discharge option
Top & Bottom

Performance Curves

Air delivery @ various static pressure



Temperature Drop



* Actual measurements may vary within +/- 15% of specified values. ^ Conditions apply.

MOVICOOL XXL

Universal air cooler
Cooling @ ₹2/sq.ft. per month^



Single unit comes pre-fitted with Symphony accessories, suitable for areas up to 1500 sq.ft.*


Features

- Auto swing
- Fully closable horizontal louvers
- Weather resistant, UV Stabilized engineering plastic body
- 1.1 kW motor for powerful air delivery of 20,000 CMH
- Three side cooling pads for superior cooling
- Symphony accessories for easy and quick installation in a couple of hours


Heavy duty lockable **wheels for portability**

Performance Curves

Air delivery @ various static pressure



Temperature Drop



* Actual measurements may vary within +/- 15% of specified values.


Symphony
Thinking of Tomorrow

ACCESSORIES


Symphony accessories are specially designed for quick and easy installation. Any installation can be completed within a few hours!

Features

- Weather resistant, UV Stabilized engineering plastic body for long life
- Aesthetic and homogeneous looks




ELBOW






END CAP







MOUTHPIECE






AIR OUTLET GRILL WITH DAMPER






MODULAR DUCT





FRONT GRILL
WITH AUTO-LOUVER







VARIABLE SPEED CONTROLLER
FOR VC20U AND VC22S



PROTECTOR
FOR VC25U



AIR BENDER



Note: all dimensions are in mm

INSULATION NOT REQUIRED

SMOOTH AIRFLOW

LEAKPROOF DESIGN

QUICK AND EASY INSTALLATION

SPS 45/75
40,000 / 60,000 CMH
SPS 75 60,000 CMH



Features

- High air pressure and long distance air delivery
- High performance cooling pads
- Stainless steel chassis to extend the service life
- Auto Clean available to keep tank and water clean all the time and thereby also prevent frequent clogging of pads
- High quality air pre-filter to protect the cooling pad
- Easy to operate and maintain

Model		SPS 45	SPS 75	SPU 75
Discharge Type		Side	Side	Top
Nominal Max Airflow	m^3/h	40000	60000	60000
Voltage/Hertz/Phase	V/Hz/Ph	380-415/50/3 220/60/3	380-415/50/3 460/60/3	380-415/50/3 460/60/3
Motor Power	kW	7.5	15	15
Cooling Capacity*	kW	150	260	260
Evaporative Efficiency*	[%]	84	84	84
Evaporative Capacity*	L/H	220	380	380
Sound Pressure Level @1m	dB(A)	82.5	86	86
Water Tank Volume	L	80	100	100
Air Outlet Dimensions	mm	702×780	831×924	837×931
Unit Size	mm	1770×1770×1380	2055×1970×1700	1970×1970×1754
Net Weight	kg	450	630	625
Running Weight	kg	555	755	760
Minimum Order Quantity		6	5	5

SPS45

CMH	Ext Stat Pre, Pa
21000	350
24000	325
27500	300
30000	275
32000	250

SPS75


CMH	Ext Stat Pre, Pa
21800	500
32300	450
35700	400
40000	350
43300	300

SPU75

CMH	Ext Stat Pre, Pa
22900	500
33900	450
37500	400
42000	350
45500	300

Performance Curves


cmh @ varius static pressure



Static pressure (mm)

SPS 45


cmh @ varius static pressure



Static pressure (mm)

SPS 75 & SPU 75

Temperature Drop




Ambient Temperature (°C)


*Under test condition DB38℃/WB23℃
*Above specifications and external appearance are subject to change without prior notice and actual measurements may vary within +/-15% of specified values.


Symphony®
Thinking of Tomorrow


TYPES OF INSTALLATION
















AIR OUTLET OPTIONS




Side air outlet



Bottom air outlet



Air nozzle









TECHNICAL SPECIFICATIONS

Symphony®
Thinking of Tomorrow





Parameter	Venti-Cool 11U	Venti-Cool 20U	Venti-Cool 22S	Venti-Cool 25U	Movicool XXL	Venti-Cool 40
Discharge	Top / Bottom / Side	Top / Down	Side	Top / Down	Top	Top / Down
Nominal air delivery (CMH)	11000	20000	22000	25000	20000	40000
Cooling area (sq.ft.)	up to 700	up to 1200	up to 1300	up to 1600	up to 1500	up to 2500
Net weight (kg)	47	53	65	69	78	113
Operating weight (kg)	97 / 77 / 97	115 / 89	135	131 / 105	140	181
Input supply (V/Hz/Ph)	230/50/1	230/50/1	230/50/1	415/50/3	230/50/1	415/50/3
Power Consumption (kW)	0.45	1.1	1.1	1.5	1.1	3.0
Outside dimensions (LxBxH in mm)	950 x 950 x 930	1140 x 1140 x 850	1140 x 1140 x 1130	1140 x 1140 x 1130	1140 x 1140 x 1770	1225 x 1225 x 1350
Air outlet dimensions (HxW in mm)	500 x 500	670 x 670	670 x 670	670 x 670	645 x 440	777 x 777
Body material	UV Stabilized High Grade Plastic	UV Stabilized High Grade Plastic	UV Stabilized High Grade Plastic	UV Stabilized High Grade Plastic	UV Stabilized High Grade Plastic	UV Stabilized High Grade Plastic
Tank capacity (L)	50 / 30 / 50	70 / 40	70	70 / 40	70	40/40
Air moving device	Fan	Fan	Fan	Fan	Fan	Fan
Fan diameter (mm)	425	620	620	620	620	710
Cooling media	Honeycomb pads	Honeycomb pads	Honeycomb pads	Honeycomb pads	Honeycomb pads	Honeycomb pads
Pad thickness (mm)	60	100	100	100	100	100
Cooling surface area of pad (sq.mtr.)	1.45	1.6	1.94	2.6	1.6	3.6
Minimum cooling efficiency (%)	75	80	80	80	80	80
Number of speeds (nos.)	2	1	1	1	1	1
Duct length-with one bend (ft.)	up to 30	up to 60	up to 70	up to 80	Direct throw	up to 125
Air outlets (nos.)	up to 7	up to 8	up to 10	up to 12	-	up to 20

Note: Must use suitable rated protective devices like Single phase preventer, Voltage stabilizer, Spike buster, etc.

* Use suitable water supply with TDS less than 400 ppm
* Under test condition DB38°C/WB23°C
* Above specifications, external appearance and colours are subject to change without prior notice, and, actual measurements may vary within +/-15% of specified values.

+ Average cost of power consumption

^ Conditions apply

MOVICOOL RANGE



Movicool DD125

125 L* 66 m²*

- **Powerful 20m / 20m* air throw for faster cooling**
- **3-side high efficiency honeycomb pads**
- **Robust weather resistant body for long life**
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels

Also Available



Movicool XL 200

200 L* 66 m²*



Movicool L 200

200 L* 63 m²*



Movicool L 125

125 L* 63 m²*



Movicool L 65-S

65 L* 63 m²*

Symphony®
Thinking of Tomorrow

AIR FORCE RANGE



Air Force 160

160 L* 21m (69ft)

- **Xtra power jet fan**
- **Weather resistant**
- **Easy-fill**
- **Xtra powerful air throw**
- **Auto louver movement**
- **Robust weather resistant body for long life**
- Large high efficiency honeycomb cooling pad
- Easily removable and cleanable cooling pad
- Float valve for auto water filling
- Lockable heavy-duty wheels

Also Available



Air Force 120
112 L* 21m (69ft)



Air Force 100
100 L* 21m (69ft)



Air Force 95EX
85 L* 20m (63ft)



Air Force 95
85 L* 18m (61ft)



Air Force 90
80 L* 12m (40 ft)



Air Force 60
50 L* 11m (36ft)

BOUNCER RANGE



Bouncer 175 Maxx

165 L* 66 m²*

- **Turbo Fan powered by 700W motor**
- **Easy-fill**
- **i-Pure+ technology for healthy air**
- 3-side honeycomb cooling pads
- CFD technology for uniform cooling



Bouncer 175

165 L* 52 m²*

- **Xtra Powerful Fan**
- **Easy-fill**
- **i-Pure+ technology for healthy air**
- 3-side honeycomb cooling pads
- CFD technology for uniform cooling

Symphony®
Thinking of Tomorrow

MORE 4D RANGE




More 4D 125

110 L* 42 m^2*

- **4-side honeycomb cooling pads**
- **Silent operation**
- **Easy-fill**
- i-Pure+ technology for healthy air
- Powerful air throw
- CFD technology for uniform cooling

SURROUND RANGE



Surround Sr.

- **Bladeless turbo throw technology**
- **Air throw up to 8m (27ft)***
- **Space saving**
- Wheels for easy mobility
- Swivel action for surround air
- Removable dust filter

Also Available



Surround B

BLDC

7 SPEED



Surround i




Surroundi

Parameters		Surround Sr	Surround B	Surround i	Surround
Engg. Plastic (blower/fan)		Blower	Blower	Blower	Blower
Wattage (W)*	230V/50Hz	215	82	141	135
Remote control		-	Yes	Yes	-
Oscillation		Yes	Yes	Yes	Yes
Product dimensions (mm)	Length	300	250	250	250
	Breadth	390	320	320	320
	Height	1360	1120	1120	1120

Symphony®
Thinking of Tomorrow

SPECIFICATIONS* & FEATURES


















Parameters		Movicool DD 125	Movicool XL 200	Movicool L 200	Movicool L 125	Movicool L 65-S	Air Force 160	Air Force 120	Air Force 100	Air Force 95EX	Air Force 95	Air Force 90	Air Force 60	Bouncer 175 Maxx	Bouncer 175	More 4D 125
For rooms up to	(m)^{2*}	66	66	63	63	63	-	-	-	-	-	-	-	66	52	42
Engg. Plastic (blower/fan)		Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Exhaust Fan	Fan	Fan	Fan	Fan	Fan	Fan
Water-tank capacity (up to brim-L)		125	200	200	125	65	160	112	100	85	85	80	50	165	165	110
Wattage (W)*	230V/50Hz	225 x 2	605	225	225	225	445	325	325	250	175	145	145	680	350	230
i-Pure+ technology		No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes
No. of pads		3	3	3	3	3	1	1	1	1	1	1	1	3	3	4
Auto louver Movement		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cool flow dispenser		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Easy fill		No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	870	1125	870	870	870	850	850	850	700	700	560	560	840	840	650
	Breadth	440	725	440	440	440	610	610	610	500	500	400	400	570	570	630
	Height	2100	1790	1700	1400	985	1500	1350	1300	120	120	1210	1010	1340	1340	1400

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 5% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim as per design, actual may vary. The company reserves the right to change specifications without any prior notice.

THE FINEST COOLING IN CURRENT TIMES

Cooling for Industrial and Commercial Establishments @ ₹2/ft² per month^

- Offices & Lobbies
- Service Centers
- Gyms & Wellness Centers
- Classrooms & Hostels
- Packaging Industries
- Distilleries & Bottling Plants
- F&B Industries
- Game Zones
- Army Barracks
- Restaurants & Kitchens
- Libraries
- Banquets & Function Halls
- Showrooms
- Laundries
- Places of Worship
- Injection Moulding Plants
- Hotels
- Zoos & Poultry Farms
- Heavy Industries
- Textile & Garment Industries
- Canteens
- Warehouses
- Auditoriums & Lecture Halls
- Hospitals & Clinics
- Movie Theatres
- Auto & Ancillary Units
- Retail Stores

and many more





MILLION+ INSTALLATIONS

^Conditions apply.

Symphony®
Thinking of Tomorrow

INSTALLATIONS

Segment : Factory





Segment : Hotel





Segment : Warehouse





INSTALLATIONS


Segment : Banquet Hall






Segment : Factory





Segment : Restaurant





Symphony®
Thinking of Tomorrow

INSTALLATIONS

Segment : Class Room





Segment : Factory





Segment : Showroom





INSTALLATIONS

Segment : Factory





Segment : Warehouse





Segment : Cloud Kitchen





Symphony®
Thinking of Tomorrow

FEW TESTIMONIALS



STANDARD RADIATORS

March 20, 2025

TO WHOM SO EVER IT MAY CONCERN

This is to certify that **Ms. Shree Ram Corporation** has installed 4 Units of Symphony Air coolers at our manufacturing plant.

The Installation of the coolers are completed as per our satisfaction and as per the time frame provided by us priorly. We are satisfied with the performance of cooler's design and installation by **Ms. Shree Ram Corporation**

We highly recommended the Quality of Symphony Industrial Air Cooler which are modular and cost effective solutions.

Wishing **Ms. Shree Ram Corporation and Symphony Limited** success in their future Endeavors.

Thanks & regards,

For Standard Radiators Pvt. Ltd.

STANDARD RADIATORS Pvt. Ltd.
1/12, Industrial Estate, Gorwa, Vadodara - 390016, Gujarat, India
CIN: U34201GJ1965PTC001320
+91-265-2280616/417
+91-265-2280522
www.standardrsdiators.com



RADNIK EXPORTS GLOBAL PRIVATE LIMITED
(FORMERLY KNOWN AS RADNIK EXPORTS)

E- 2, Sector-59
Noida - 201301 U.P. India
phone > +91-120-4603700
email > contact@radnik.net
AN ISO 9001:2015 COMPANY
CIN: U46411DL2003PTC421714

To Whom It May Concern,

This is to confirm that we are currently using Symphony Water Coolers for our garments Manufacturing Industry. These industrial coolers have been in use for the past three years, and we are satisfied with their performance, after-sales services and warranties.

We wish the company all the success in the industry of cooling and sustainability.

Best Regards,

Puneet Kampani 25/3/25

Radnik Exports Global Private Limited

(A Government recognized 4 star export house)

New Delhi/Noida/Gurgaon.

AEO

Regd. Off.:412, Okian Building, 4th Floor, 12, Nehru Place, New Delhi 110019
Phone: +91 11 42748200 E-mail: contact@radnik.net
Website: www.radnikexports.com



BHARTI COLLEGE OF ENGINEERING & TECHNOLOGY
Run By - Shri Jug Mahadev Education Society (SIMES), DURG
Approved By – All India Council for Technical Education (AICTE), NEW DELHI
Affiliated To – Chhattishgarh Swami Vivekanand Technical University (CSVTU), BHILAI
BHARTI TECHNOLOGY PARK, PULGAON CHOWK, DURG, (C.G.) - 491001
Mob. No. 9755581111/2222/3333, 7389555555, E-mail- bhartiyacollege@gmail.com, www.bhartiicollege.org

Ref. No.- BCET/2023/M18 Date- 31/08/2023

To,
Mr. Vishwas Kumar Mishra
Symphony Ltd.
Raipur

Dated:

Testimonial

Dear Sir,

The industrial air cooler we acquired has become an indispensable asset in our classrooms. Its powerful cooling capacity has made a significant impact on our students and staffs, allowing us to maintain a consistent workflow even during the summer days. Beyond its performance, the durability of the unit has stood the test of time, proving its value as a long-term investment.

With Symphony VC 20U & 25U, we found not just a product, but a reliable partner in enhancing our classrooms environment.

Thanks & Regards,
For,
31/08/2023



WEBCOAT

PARAS WEBCOAT PVT. LTD.

Works : 29, Shree Ambica Industrial Estate, Sanand Viramgam Highway, Village : Iyava, Tal. Sanand, Dist. Ahmadabad-382 170.
CIN Registration No. : U25209GJ1991PTC014902

TO WHOMSOEVER IT MAY CONCERN

This is to inform That M/S Aditya Cooling Solutions has installed 36 Units of Symphony Air Cooler of VC 25 U (25000 CMH) in our Manufacturing Plant. (36000 Sqft) At Different Factories at Sanand and Kadi.

The Units are installed to our Satisfaction and we are very satisfied with the performance of Symphony Air Cooler and Design & Installation as per Time Frame of system by M/S Aditya Cooling Solutions.

We highly Recommended the Quality of Symphony Industrial Air Cooler, which are Engineered, Modular Machines and Cost-Effective Solutions.

I wish Aditya Cooling Solutions and Symphony Limited success in their future endeavours.

Thanks, and regards,
Nikul Patel

Date: - 26/03/2025

Authorise Signatory

Reg.Office : Janki House, 2-Sunrise Park, Opp. Himalaya Mall, Drive-in Road, Bodakdev, Ahmedabad - 380 054.
Tel. : (079)26856027 - 29, Fax. : (079) 26856030, E-mail : admin@paraswebcoat.com

To know more: Visit **www.symphonyventicool.com/project.php** **or Scan:**

Symphony®

Thinking of Tomorrow

WORLD LEADER IN AIR COOLING

COOLING THE WORLD SINCE 1939

Symphony Limited, FP12-TP50 Bodakdev, Off SG Highway, Ahmedabad - 380 059.
Email: marketing@symphonylimited.com | Website: www.symphonylimited.com

30 MILLION+ INSTALLATIONS



www.symphonyventicool.com

industrial@symphonylimited.com

+91-6354914487 / +91-9023726800

Service Registration

lsvcallregistration@symphonylimited.com

MARCH, 2026